


## TECHNICAL DATA-SHEET

### X-RAY FILM VIEWERS STANDARD SERIES



- Stove enamelled steel structure thickness 0,8 mm;
- Fire epoxy painting colour peel RAL 9010, upon structure cleaning treatment;
- Smelted opaline acrylic screen thickness 3 mm inserted into the structure;
- Neon tubes of 6.000°Kelvin (other type of tubes available on request);
- Upper and/or central pressing rolls film holding system;
- Bipolar switches on the front (on request is possible apply other type of switches and their position);
- External fuses lagging type 5x20 (positioned on the bottom right side);
- Feeding cable complete with plug and earth "Italian" type cm. 180 long (other type of plugs on request);
- Arranged for wall mounting installation through expansion dowels;
- Integrable with other optional devices like: lateral support for spot viewers and/or magnifying lens, trolley on wheels, light intensity regulator.
- X-ray film viewer conforms to Directive 93/42/CEE - Medical Devices - Class 1  
Moreover meets the Directive 73/23 CEE (Low tension) 89/336 CEE (Electromagnetic compatibility).  
Construction conforms to Norms EN 60601 -1,2 / Din 6856 -1,2;
- Feeding 230V / 50Hz + earth;
- Maintenance: recurrent cleaning (each 6 months) of the whole screen;

# TECHNICAL DATA – SHEET STANDARD SERIES

## HORIZONTAL SECTIONS MODEL

CODE	SIZE	OUTSIDE DIMENSION CM	WEIGH Kg	NUMBER OF TUBES	LIGHT SECTION	W	A	FUSES	CD/MQ
<b>M-NP-30</b>	35 X 43	37 X 52 X 11	6	2 – 15W	1 – 35 X 43	50	0,3	1	2200
<b>M-NP-41</b>	40 X 43	45 X 52 X 11	6,2	2 – 15 W	1 – 40 X 43	50	0,3	1	2200
<b>M-NP-70</b>	70 X 43	78 X 52 X 11	10	4 – 15 W	1 – 70 X 43	90	0,4	1	2700
<b>M-NP-90</b>	90 X 43	95 X 52 X 11	12	2 – 30 W	1 – 90 X 43	80	0,4	1	2700
<b>M-NP-120</b>	120 X 43	126 X 52 X 11	15	2 – 36 W	1 – 120 X 43	90	0,4	1	2800
<b>M-NP-150</b>	150 X 43	156 X 52 X 11	18	2 – 58 W	1 – 150 X 43	130	0,6	2	3000
<b>M-NP-180</b>	180 X 43	187 X 52 X 11	21	4 – 30 W	2 – 90 X 43	150	0,7	2	2700

## OVERLAPPED HORIZONTAL SECTIONS MODEL

<b>M-NP-121</b>	90 X 86	96 X 99 X 11	21	4 – 30 W	2 – 90 X 43	150	0,7	2	2700
<b>M-NP-122</b>	120 X 86	126 X 99 X 11	28,5	4 – 36 W	2 – 120 X 43	180	0,9	2	2800
<b>M-NP-152</b>	150 X 86	156 X 99 X 11	36	4 – 58 W	2 – 150 X 43	270	1,3	2	3000
<b>M-NP-182</b>	180 X 86	187 X 99 X 11	42	8 – 30 W	4 – 90 X 43	270	1,3	2	2700

## VERTICAL SECTION MODEL

<b>M-NV-010</b>	30 X 90	35 X 98 X 11	11,5	2 – 30 W	1 – 30 X 90	80	0,4	1	3500
<b>M-NV-020</b>	60 X 90	65 X 98 X 11	13,5	3 – 30 W	1 – 60 X 90	120	0,6	2	3800
<b>M-NV-030</b>	60 X 120	65 X 128 X 11	16,5	3 – 36 W	1 – 60 X 120	140	0,7	2	3800