


X-RAY ANTIDIFFUSION GRIDS



INSTRUCTION AND INSTALLATION HANDBOOK



REV.01/2015

1.0 DESTINATION

The grids antidiffusorie are used for the analysis of radiographs of the human and animal body. They also are used in the industrial field.

2.0 CONSTRUCTION

The grids of this type are support to doctors and professionals to make accurate diagnosis improving the contrast of the image, absorbing the rays scattered and maintaining the excellent transmission of the primary radiation.

A

Contrast: The antidiffusion x-ray grids are produced using products of high purity

B

Ingredients: The x-ray grids use lead and aluminium of high quality which allow to obtain an image with such a high contrast, that you can see the difference with your naked eyes.

3.0 USE

To get a better picture and clearer to use the anti-scatter grid.

It is recommended to avoid shocks which may deform and alter the normal use of the anti-scatter grid.

4.0 CLEANING

The anti-scatter grid requires no maintenance.

DIMENSION ANTIDIFFUSION GRIDS

RATIO AVAILABLE: 8:1 – 10:1

CODE	CND	N.REP RATIO 8:1	N.REP RATIO 10:1	L P I	SIZE
I-GR-020	Z11039080	304745	304747	85	18 X 24
I-GR-021	Z11039080	304748	304750	85	24 X 30
I-GR-022	Z11039080	304753	304754	85	30 X 40
I-GR-023	Z11039080	304759	304761	85	35 X 35
I-GR-024	Z11039080	304765	304767	85	35 X 43
I-GR-026	Z11039080	304771	304774	85	18 X 43
I-GR-027	Z11039080	304778	304782	85	30 X 90
I-GR-028	Z11039080	304784	304786	85	30 X 120
I-GR-200	Z11039080	304789	304794	103	18 X 24
I-GR-201	Z11039080	304797	304799	103	24 X 30
I-GR-202	Z11039080	304803	304805	103	30 X 40
I-GR-203	Z11039080	304810	304812	103	35 X 35
I-GR-204	Z11039080	304816	304818	103	35 X 43
I-GR-206	Z11039080	304821	304825	103	18 X 43
I-GR-207	Z11039080	304830	304833	103	30 X 90
I-GR-208	Z11039080	304837	304843	103	30 X 120
I-GR-209	Z11039080	304846	304849	103	40 X 90
I-GR-210	Z11039080	304852	304854	103	40 X 120
I-GR-450	Z11039080	304860	304860	150	18 X 24
I-GR-451	Z11039080	304861	304862	150	24 X 30
I-GR-452	Z11039080	304864	304865	150	30 X 40
I-GR-453	Z11039080	304867	304868	150	35 X 35
I-GR-454	Z11039080	304869	304870	150	35 X 43
I-GR-456	Z11039080	304872	304872	150	18 X 43
I-GR-457	Z11039080	304874	304875	150	30 X 90
I-GR-458	Z11039080	304878	304879	150	30 X 120

DIMENSIONS ANTIDIFFUSION GRIDS FOR POTTER

RATIO AVAILABLE: 10:1

CODE	CND	N.REP	L P I	SIZE	WEIGHT
I-GR-600	Z11039080	304880	85	48 X 43,8	0,486
I-GR-610	Z11039080	304881	103	48 X 43,8	0,486
I-GR-611	Z11039080	1007091	103	45,1 X 43,8	0,461
I-GR-620	Z11039080	304882	150	48 X 43,8	0,724

SCHERMATURE ANTIX - ACCESSORI PER RADIOLOGIA**CE CONFORMITY DECLARATION**

The undersigned "CABLAS S.r.l."
office at Via Michelangelo Buonarroti 52/B
20093 Cologno Monzese (MI) - ITALY

DECLARES
Under own responsibility that the product

ANTIDIFFUSION X-RAY GRIDS

Codes

I-GR-020	I-GR-021	I-GR-022	I-GR-023	I-GR-024	I-GR-026	I-GR-027
I-GR-028	I-GR-200	I-GR-201	I-GR-202	I-GR-203	I-GR-204	I-GR-206
I-GR-207	I-GR-208	I-GR-209	I-GR-210	I-GR-450	I-GR-451	I-GR-452
I-GR-453	I-GR-454	I-GR-456	I-GR-457	I-GR-458		
I-GR-600	I-GR-610	I-GR-611	I-GR-620			

Which this declaration refers, conforms to
Directive 93/42/CEE – Medical Devices - Class 1

Moreover meets the Directive 73/23 CEE (Low tension)
89/336 CEE (Electromagnetic compatibility).

The construction conforms to Norms
EN 60601 -1,2 - Din 6856 -1,2

Cologno Monzese, year 2013

CABLAS S.R.L.Via Michelangelo, 52/B
20093 COLOGNO MONZESE (MI)
S.U.: Via Sorman/34 - COLOGNO M. SE
Tel. R.A. 02 2530088 - Fax 02 27300644
Cod. Fisc. e P. IVA 11909230156